

## **Contribution to the knowlegde of the benthic molluscan thanatocoenosis of Zannone Island (Pontine Archipelago, Latium, Italy)**

Bruno Fumanti

Via del Villaggio 108, 04010 Sabaudia, Latina, Italy; e-mail: bruno.fumanti@libero.it

---

### **ABSTRACT**

During the period May 2008-September 2012 were investigated some sediment samples collected by scuba diving at various depths in the waters surrounding the Island of Zannone (Pontine Archipelago, Latium, Italy). Altogether 280 taxa belonging to 156 genera were identified.

### **KEY WORDS**

Mollusca; thanatocoenosis; Zannone Island; Italy.

Received 28.01.2014; accepted 21.03.2014; printed 30.06.2014

Proceedings of the Seventh Malacological Pontine Meeting, October 5<sup>th</sup>-6<sup>th</sup>, 2013 - San Felice Circeo, Italy

---

## **INTRODUCTION**

This study originates from the collaboration of many malacologists, professional and otherwise, who have joined a project for the study of marine Mollusca of the Island of Zannone. The project has been realized on proposal of "Museo Civico del Mare e della Costa" in Sabaudia with funding from the "Regione Lazio". The idea of studying the marine Mollusca of Zannone was pondered on occasion of an excursion organized at the conclusion of the "Second Malacological Pontine Meeting" held in Sabaudia on May 2008.

A quick analysis of some sediment samples taken during scuba diving carried out by some participants revealed a malacofauna relatively rich so much to suggest a project for a more comprehensive and careful study. The result was the creation of a working group organized and coordinated by some members of MALAKOS 2002 (Associazione Malacologica Naturalistica Pontina), who, thanks to the funds received, have been able to carry out several samplings of bottom sediments and then

distribute the collected material to all the research participants.

The broad involvement of many malacologists, professional and otherwise, who collaborated in this research, even if preliminary, is the first concerning an island in the Pontine Archipelago and this makes us hope in the possibility of achieving further malacological studies on the coasts, the lakes and island of the Pontine region.

The writer of this work even participating actively in the organization of the research has merely reorganized what elaborated by all the participants, listed below in alphabetic order: Silvia Alfinito (Sabaudia, Italy), Andrea Bassi (Ravenna, Italy), Enzo Campani (Livorno, Italy), Luigi Giannelli (Terracina, Italy), Saverio Moncado (Latina, Italy), Italo Nofroni (Rome, Italy), Marco Oliverio (Rome, Italy), Angela Pierullo (Rome, Italy), Ermanno Quaggiotto (Vicenza, Italy), Carlo Sbrana (Pisa, Italy), Peter Sossi (Mondovì, Italy), Piergiorgio Trillò (Rome, Italy); Daniele Trono (Copertino, Italy), Danilo Van (Rome, Italy), Angelo Vannozzi (Rome, Italy).

## MATERIAL AND METHODS

The Pontine Islands are an archipelago in the Tyrrhenian Sea off the west coast of Italy. The islands were collectively named after the largest island in the group, Ponza; the other islands in the archipelago are Palmarola, Zannone, Gavi, Ventotene and Santo Stefano.

Zannone is the most northern island of the archipelago. Uninhabited, since 1979 is part of the National Park of Circeo. It is a “green island”, covered with a typical Mediterranean maquis. The Island of Zannone has an area of approximately 106 ha and is located 6 miles from the Island of Ponza, on which it administratively depends. Altogether 8 grit samples were examined:

- 2008, May: 40°58'28" E; 13°09'49" N  
-18 m, -20 m
- 2009, June: 40°57'55" E; 13°02'59" N  
-20m, -26m, -50m
- 2011, October: 40°57'54" E; 13°03'10" N  
-18m, -20 m
- 2012, September: 40°07'55" E; 13°02'46" N  
-20 m

The nomenclature of the species has been updated according to WoRMS Editorial Board (2014).

## RESULTS

The analysis of samples distributed to the research participants led to the identification of 280 taxa (Table 1).

	Polyplacophora	Gastropoda	Bivalvia	Scaphopoda	Total
<b>Ordines</b>	1	9	10	1	21
<b>Familiae</b>	3	65	22	1	91
<b>Genera</b>	3	110	42	1	156
<b>Species</b>	5	221	53	1	280

Table 1. Diversity of the fauna of molluscs of Zannone Island (Pontheine Archipelago, Latium, Italy).

## Taxonomic list

- Classis POLYPLACOPHORA Gray, 1821
- Ordo CHITONIDA Thiele, 1909
- Familia CHITONIDAE Rafinesque, 1815
- Genus *Chiton* Linnaeus, 1758
  - Chiton (Rhyssoplax) corallinus* Risso, 1826
  - Chiton (Rhyssoplax) olivaceus* Spengler, 1797
- Familia ISCHNOCHITONIDAE Dall, 1889
- Genus *Ischnochiton* Gray, 1847
  - Ischnochiton (Ischnochiton) rissoi* (Payraudeau, 1826)
- Familia ACANTHOCHITONIDAE Pilsbry, 1893
- Genus *Acanthochitona* Gray, 1821
  - Acanthochitona crinita* (Pennant, 1777)
  - Acanthochitona fascicularis* (Linnaeus, 1767)
- Classis GASTROPODA Cuvier, 1797
- Ordo PATELLOGASTROPODA Lindenberg, 1986
- Familia PATELLIDAE Rafinesque, 1815
- Genus *Patella* Linnaeus, 1758
  - Patella caerulea* Linnaeus, 1758
  - Patella rustica* Linnaeus, 1758
  - Patella ulyssiponensis* Gmelin, 1791
- Ordo VETIGASTROPODA Salvini-Plawen, 1980
- Familia FISSURELLIDAE Fleming, 1822
- Genus *Diodora* J.E. Gray, 1821
  - Diodora gibberula* (Lamarck, 1822)
  - Diodora graeca* (Linnaeus, 1758)
- Genus *Emarginula* Lamarck, 1801
  - Emarginula adriatica* O.G. da Costa, 1830
  - Emarginula huzardii* Payraudeau, 1826
  - Emarginula octaviana* Coen, 1939
  - Emarginula punctulum* Piani, 1980
  - Emarginula tenera* Locard, 1892
- Familia SCISSLURELLIDAE Gray, 1847

Genus *Scissurella* d'Orbigny, 1824  
*Scissurella costata* d'Orbigny, 1824

Familia HALIOTIDAE Rafinesque, 1815

Genus *Haliotis* Linnaeus, 1758  
*Haliotis tuberculata lamellosa* Lamarck, 1822  
*Haliotis tuberculata tuberculata* Linnaeus, 1758

Familia TROCHIDAE Rafinesque, 1815

Genus *Clanculus* Monfort, 1810  
*Clanculus corallinus* (Gmelin, 1791)  
*Clanculus cruciatus* (Linnaeus, 1758)  
*Clanculus jussieui* (Payraudeau, 1826)

Genus *Jujubinus* Monterosato, 1884  
*Jujubinus exasperatus* (Pennant, 1777)  
*Jujubinus gravinae* (Dautzenberg, 1881)  
*Jujubinus striatus* (Linnaeus, 1758)

Genus *Gibbula* Risso, 1826  
*Gibbula ardens* (Salis Marschlins, 1793)  
*Gibbula guttadauri* (Philippi, 1836)  
*Gibbula racketti* (Payraudeau, 1826)  
*Gibbula turbinoides* (Deshayes, 1835)  
*Gibbula umbilicaris* (Linnaeus, 1758)  
*Gibbula varia* (Linnaeus, 1758)

Familia CALLIOSTOMATIDAE Thiele, 1924

Genus *Calliostoma* Swainson, 1840  
*Calliostoma zizyphinum* (Linnaeus, 1758)

Familia TURBINIDAE Rafinesque, 1815

Genus *Bolma* Risso, 1826  
*Bolma rugosa* (Linnaeus, 1767)

Familia SKENEIDAE Clark, 1851

Genus *Skenea* Fleming, 1825  
*Skenea catenoides* (Monterosato, 1877)

Genus *Dikoleps* Hoisaeter, 1968  
*Dikoleps mariana* Rubio, Dantart et Luque, 1998  
*Dikoleps templadoi* Rubio, Dantart et Luque, 2004  
*Dikoleps umbilicostriata* (Gaglini, 1987)

Genus *Skeneoides* Warén, 1992  
*Skeneoides exilissima* (Philippi, 1844)



Fig. 1. Zannone Island (Pontine Archipelago, Latium, Italy).

Familia CHILODONTIDAE Wenz, 1938

Genus *Danilia* Brusina, 1865  
*Danilia tinei* (Calcara, 1839)

Familia PHASIANELLIDAE Swainson, 1840

Genus *Tricolia* Risso, 1826  
*Tricolia pullus* (Linnaeus, 1758)  
*Tricolia speciosa* (von Mühlfeldt, 1824)  
*Tricolia tenuis* (Michaud, 1829)

Familia COLLONIIDAE Cossmann, 1917

Genus *Homalopoma* Carpenter, 1864  
*Homalopoma sanguineum* (Linnaeus, 1758)

Ordo NERITIMORPHA Golikov et Starobogatov, 1975

Familia NERITIDAE Rafinesque, 1815

Genus *Smaragdia* Issel, 1869  
*Smaragdia viridis* (Linnaeus, 1758)

Ordo CAENOGASTROPODA Cox, 1960

Familia CERITHIIDAE Fleming, 1822

Genus *Cerithium* Bruguière, 1789  
*Cerithium lividulum* Risso, 1826  
*Cerithium renovatum* Monterosato, 1884  
*Cerithium vulgatum* Bruguière, 1792

Genus *Bittium* Gray, 1847  
*Bittium latreillii* (Payraudeau, 1826)

- Bittium reticulatum* (da Costa, 1778)  
*Bittium submammillatum* (De Rayneval et Ponzi, 1854)
- Familia PLANAXIDAE Gray, 1850
- Genus *Fossarus* Philippi, 1841  
*Fossarus ambiguus* (Linnaeus, 1758)
- Familia SILIQUARIIDAE Anton, 1838
- Genus *Tenagodus* Guettard, 1770  
*Tenagodus obtusus* (Schumacher, 1817)
- Familia TURRITELLIDAE Lovén, 1847
- Genus *Turritella* Lamarck, 1799  
*Turritella communis* Risso, 1826  
*Turritella turbona* Monterosato, 1877
- Familia TRIPHORIDAE J.E. Gray, 1847
- Genus *Marshallora* Bouchet, 1985  
*Marshallora adversa* (Montagu, 1803)
- Genus *Monophorus* Grillo, 1877  
*Monophorus perversus* (Linnaeus, 1758)
- Genus *Metaxia* Monterosato, 1884  
*Metaxia metaxa* (Delle Chiaje, 1828)
- Familia CERITHIOPSIDAE H. Adams et A. Adams, 1853
- Genus *Cerithiopsis* Forbes et Hanley, 1850  
*Cerithiopsis barleei* Jeffreys, 1867  
*Cerithiopsis jeffreysi* Watson, 1885  
*Cerithiopsis tubercularis* (Montagu, 1803)
- Genus *Nanopsis* Cecalupo et Robba, 2010  
*Nanopsis nana* (Jeffreys, 1867)
- Genus *Krachia* Baluk, 1975  
*Krachia cylindrata* (Jeffreys, 1885)
- Familia EPITONIIDAE Berry, 1910
- Genus *Epitonium* Röding, 1798  
*Epitonium clathrus* (Linnaeus, 1758)
- Familia EULIMIDAE Philippi, 1853
- Genus *Ersilia* Monterosato, 1872  
*Ersilia mediterranea* (Monterosato, 1869)
- Genus *Parvioris* Warén, 1981  
*Parvioris ibizenca* (Nordsieck, 1968)
- Genus *Sticteulima* Laseron, 1955  
*Sticteulima jeffreysiana* (Brusina, 1869)
- Genus *Vitreolina* Monterosato, 1884  
*Vitreolina curva* (Monterosato, 1874)  
*Vitreolina philippi* (de Rayneval et Ponzi, 1854)
- Familia LITTORINIDAE Children, 1834
- Genus *Melarhaphe* Menke, 1828  
*Melarhaphe neritoides* (Linnaeus, 1758)
- Familia CINGULOPSIDAE Fretter et Patil, 1958
- Genus *Eatonina* Thiele, 1912  
*Eatonina ochroleuca* (Brusina, 1869)  
*Eatonina pumila* (Monterosato, 1884)
- Genus *Tubreva* Ponder, 1965  
*Tubreva micrometrica* (Aradas et Benoit, 1876)
- Familia RISSOIDAE J.E. Gray, 1847
- Genus *Rissoa* Desmarest, 1814  
*Rissoa auriscalpium* (Linnaeus, 1758)  
*Rissoa guerinii* Récluz, 1843  
*Rissoa lia* (Monterosato, 1884)  
*Rissoa monodonta* Philippi, 1836  
*Rissoa rodhensis* Verduin, 1985  
*Rissoa scurra* (Monterosato, 1917)  
*Rissoa similis* Scacchi, 1836  
*Rissoa variabilis* (von Mühlfeldt, 1824)  
*Rissoa ventricosa* Desmarest, 1814  
*Rissoa violacea* Desmarest, 1814
- Genus *Pusillina* Monterosato, 1884  
*Pusillina inconspicua* (Alder, 1844)  
*Pusillina philippi* (Aradas et Maggiore, 1844)  
*Pusillina radiata* (Philippi, 1836)
- Genus *Setia* H. Adams et A. Adams, 1852  
*Setia ambigua* (Brugnone, 1873)  
*Setia maculata* (Monterosato, 1869)

- Genus *Alvania* Risso, 1826
- Alvania* cfr. *aeoliae* Palazzi, 1988
  - Alvania beanii* (Hanley in Thorpe, 1844)
  - Alvania cimex* (Linnaeus, 1758)
  - Alvania cancellata* (da Costa, 1778)
  - Alvania clathrella* (Seguenza, 1903)
  - Alvania claudioi* Buzzurro et Landini, 2007
  - Alvania dictyophora* (Philippi, 1844)
  - Alvania discors* (Allan, 1818)
  - Alvania geryonia* (Nardo, 1847)
  - Alvania hirta* (Monterosato, 1844)
  - Alvania hispidula* (Monterosato, 1844)
  - Alvania lineata* Risso, 1826
  - Alvania lucinae* Oberling, 1970
  - Alvania mamillata* Risso, 1826
  - Alvania scabra* (Philippi, 1844)
  - Alvania settepassii* Amati et Nofroni, 1985
  - Alvania sororcula* Granata-Grillo, 1877
  - Alvania subareolata* Monterosato, 1869
  - Alvania subcrenulata* (Bucquoy, Dautzenberg et Dollfus, 1884)
  - Alvania tenera* (Philippi, 1844)
- Genus *Crisilla* Monterosato, 1917
- Crisilla* cfr. *aartseni* (Verduin, 1984)
  - Crisilla beniamina* (Monterosato, 1884)
  - Crisilla marioni* Fasulo et Gaglini, 1987
  - Crisilla semistriata* (Montagu, 1808)
- Genus *Manzonia* Brusina, 1870
- Manzonia crassa* (Kanmacher, 1798)
- Genus *Obtusella* Cossmann, 1921
- Obtusella intersecta* (S.Wood, 1857)
- Genus *Onoba* H. Adams et A. Adams, 1852
- Onoba dimassai* Amati et Nofroni, 1991
- Genus *Peringiella* Monterosato, 1878
- Peringella elegans* (Locard, 1892)
- Genus *Rissoina* d'Orbigny, 1840
- Rissoina bruguieri* (Payraudeau, 1826)
- Familia BARLEEIDAE J.F. Gray, 1857
- Genus *Barleeia* W.Clark, 1853
- Barleeia unifasciata* (Montagu, 1803)
- Familia CAECIDAE Gray, 1850
- Genus *Caecum* Fleming, 1813
- Caecum auriculatum* de Folin, 1868
  - Caecum clarkii* Carpenter, 1859
  - Caecum subannulatum* de Folin, 1870
  - Caecum trachea* (Montagu, 1803)
- Familia HYDROBIIDAE Stimpson, 1865
- Genus *Hydrobia* Hartmann, 1821
- Hydrobia acuta* (Draparnaud, 1805)
- Familia TORNIDAE Sacco, 1896
- Genus *Tornus* Turton et Kingston, 1830
- Tornus subcarinatus* (Montagu, 1803)
- Familia TRUNCATELLIDAE J.E. Gray, 1840
- Genus *Truncatella* Risso, 1826
- Truncatella subcylindrica* (Linnaeus, 1767)
- Familia VERMETIDAE Rafinesque, 1815
- Genus *Petaloconchus* Lea, 1843
- Petaloconchus glomeratus* (Linnaeus, 1758)
- Genus *Vermetus* Daudin, 1800
- Vermetus granulatus* (Gravenhorst, 1831)
  - Vermetus rugulosus* Monterosato, 1878
  - Vermetus triquetrus* Bivona-Bernardi, 1832
- Familia APORRHAIDAE J.E. Gray, 1850
- Genus *Aporrhais* da Costa, 1778
- Aporrhais pespelecani* (Linnaeus, 1758)
- Familia VANIKORIDAE J.E. Gray, 1840
- Genus *Megalomphalus* Brusina, 1871
- Megalomphalus azonus* (Brusina, 1865)
  - Megalomphalus disciformis* (Granata-Grillo, 1877)
- Familia CALYPTRAEIDAE Lamarck, 1809
- Genus *Crepidula* Lamarck, 1799
- Crepidula unguiformis* Lamarck, 1822
- Genus *Calyptaea* Lamarck, 1799
- Calyptaea chinensis* (Linnaeus, 1758)

- Familia VELUTINIDAE J.E. Gray, 1840
- Genus *Lamellaria* Montagu, 1815  
*Lamellaria perspicua* (Linnaeus, 1758)
- Familia CYPRAEIDAE Rafinesque, 1815
- Genus *Luria* Jousseaume, 1884  
*Luria lurida* (Linnaeus, 1758)
- Familia NATICIDAE Guilding, 1834
- Genus *Euspira* Agassiz in Sowerby, 1837  
*Euspira nitida* (Donovan, 1804)
- Genus *Notocochlis* Powell, 1933  
*Notocochlis dillwynii* (Payraudeau, 1826)
- Familia ATLANTIDAE Rang, 1829
- Genus *Atlanta* Lesueur, 1817  
*Atlanta brunnea* J.E. Gray, 1850  
*Atlanta peronii* Lesueur, 1817
- Familia MURICIDAE Rafinesque, 1815
- Genus *Bolinus* Pusch, 1837  
*Bolinus brandaris* (Linnaeus, 1758)
- Genus *Hexaplex* Perry, 1810  
*Hexaplex trunculus* (Linnaeus, 1758)
- Genus *Ocinebrina* Jousseaume, 1880  
*Ocinebrina aciculata* (Lamarck, 1822)  
*Ocinebrina edwardsii* (Payraudeau, 1826)  
*Ocinebrina reinai* Bonomolo et Crocetta, 2012
- Genus *Muricopsis* Bucquoy et Dautzenberg, 1882  
*Muricopsis cristata* (Brocchi, 1814)
- Genus *Coralliophila* H. Adams et A. Adams, 1853  
*Coralliophila meyendorffii* (Calcara, 1845)
- Familia MARGINELLIDAE Fleming, 1828
- Genus *Granulina* Jousseaume, 1888  
*Granulina boucheti* Gofas, 1992  
*Granulina mediterranea* Landau, La Perna et Marquet, 2006  
*Granulina marginata* (Bivona, 1832)  
*Granulina occulta* (Monterosato, 1869)
- Genus *Volvarina* Hinds, 1844  
*Volvarina mitrella* (Risso, 1826)
- Familia CYSTISCIDAE Stimpson, 1865
- Genus *Gibberula* Swainson, 1840  
*Gibberula miliaria* (Linnaeus, 1758)  
*Gibberula philippii* (Monterosato, 1878)  
*Gibberula turgidula* (Locard et Caziot, 1900)
- Familia MITRIDAE Swainson, 1829
- Genus *Mitra* Lamarck, 1798  
*Mitra cornicula* (Linnaeus, 1758)
- Familia COSTELLARIIDAE Mac Donald, 1860
- Genus *Vexillum* Röding, 1798  
*Vexillum ebenus* (Lamarck, 1811)  
*Vexillum savignyi* (Payraudeau, 1826)  
*Vexillum tricolor* (Gmelin, 1791)
- Familia BUCCINIDAE Rafinesque, 1815
- Genus *Euthria* Gray, 1850  
*Euthria cornea* (Linnaeus, 1758)
- Genus *Chauvetia* Monterosato, 1884  
*Chauvetia mamillata* (Risso, 1826)  
*Chauvetia procerula* (Monterosato, 1889)  
*Chauvetia turritellata* (Deshayes, 1835)  
*Chauvetia* sp.
- Genus *Pisania* Bivona-Bernardi, 1832  
*Pisania striata* (Gmelin, 1791)
- Genus *Pollia* J.E. Gray, 1834  
*Pollia dorbginyi* (Payraudeau, 1826)  
*Pollia scabra* Locard, 1892  
*Pollia scacchiana* (Philippi, 1844)
- Familia NASSARIIDAE Iredale, 1916
- Genus *Nassarius* Duméril, 1805  
*Nassarius nitidus* Jeffreys, 1867
- Genus *Ciclope* Risso, 1826  
*Ciclope neritea* (Linnaeus, 1758)
- Familia COLUMBELLIDAE Swainson, 1840

- Genus *Columbella* Lamarck, 1799  
*Columbella rustica* (Linnaeus, 1758)
- Familia FASCIOLARIIDAE J.E. Gray, 1853
- Genus *Fusinus* Rafinesque, 1815  
*Fusinus pulchellus* (Philippi, 1844)  
*Fusinus syracusanus* (Linnaeus, 1758)
- Familia CONIDAE Fleming, 1822
- Genus *Conus* Linnaeus, 1758  
*Conus ventricosus* Gmelin, 1791
- Familia HORAICLAVIDAE Bouchet, Kantor, Sysoev et Puillandre, 2011
- Genus *Haedropleura* Bucquoy, Dautzenberg et Dollfus, 1883  
*Haedropleura secalina* (Philippi, 1844)
- Familia CLATHURELLIDAE H. Adams et A. Adams, 1858
- Genus *Clathromangelia* Monterosato, 1844  
*Clathromangelia granum* (Philippi, 1844)
- Familia MITROMORPHIDAE Casey, 1904
- Genus *Mitromorpha* Carpenter, 1865  
*Mitromorpha mediterranea* Milfsud, 2001  
*Mitromorpha melitensis* (Milfsud, 1993)
- Familia MANGELIIDAE P. Fischer, 1883
- Genus *Bela* J.E. Gray, 1847  
*Bela menkhorsti* van Aartsen, 1988
- Genus *Mangelia* Risso, 1826  
*Mangelia multilineolata* (Deshayes, 1835)  
*Mangelia striolata* Risso, 1826  
*Mangelia taeniata* (Deshayes, 1835)  
*Mangeria unifasciata* (Deshayes, 1835)
- Familia RAPHITOMIDAE Bellardi, 1875
- Genus *Raphitoma* Bellardi, 1847  
*Raphitoma densa* (Monterosato, 1884)  
*Raphitoma echinata* (Brocchi, 1814)  
*Raphitoma horrida* (Monterosato, 1884)  
*Raphitoma leufroyi* (Micaud, 1828)
- Raphitoma linearis* (Montagu, 1803)  
*Raphitoma pseudohystrix* (Sykes, 1906)  
*Raphitoma purpurea* (Montagu, 1803)
- Ordo HETEROSTROPHA P. Fischer, 1885
- Familia OMALOGYRIDAE G.O. Sars, 1878
- Genus *Omalogyra* Jeffreys, 1859  
*Omalogyra simplex* O.G. Costa, 1861
- Familia CORNIROSTRIDAE Ponder, 1990
- Genus *Tomura* Pilsbry et MacGinty, 1946  
*Tomura depressa* (Granata-Grillo, 1877)
- Familia RISSOELLIDAE Gray, 1850
- Genus *Rissoella* Gray, 1847  
*Rissoella inflata* (Monterosato, 1880)  
*Rissoella opalina* (Jeffreys, 1848)
- Familia PYRAMIDELLIDAE Gray, 1840
- Genus *Chrysallida* Carpenter, 1856  
*Chrysallida emaciata* (Brusina, 1866)  
*Chrysallida excavata* (Philippi, 1836)  
*Chrysallida intermixta* (Monterosato, 1884)  
*Chrysallida interstincta* (J. Adams, 1797)  
*Chrysallida moolenbeeki* Amati, 1987  
*Chrysallida penchynati* (Bucquoy, Dautzenberg et Dollfus, 1883)
- Genus *Odostomella* Bucquoy, Dautzenberg et Dollfus, 1883  
*Odostomella doliolum* (Philippi, 1844)
- Genus *Euparthenia* Thiele, 1931  
*Euparthenia humboldti* (Risso, 1826)
- Genus *Eulimella* Forbes et M' Andrew, 1846  
*Eulimella acicula* (Philippi, 1836)
- Genus *Megastomia* Monterosato, 1884  
*Megastomia conoidea* (Brocchi, 1814)
- Genus *Odostomia* Fleming, 1813  
*Odostomia carrozai* Van Aartsen, 1987  
*Odostomia eulimoides* Hanley, 1844  
*Odostomia lukisii* Jeffreys, 1859  
*Odostomia scalaris* Mac Gillivray, 1843

- Odostomia turrita* Hanley, 1844  
*Odostomia unidentata* (Montagu, 1803)
- Genus *Ondina* De Folin, 1870  
*Ondina vitrea* (Brusina, 1866)
- Genus *Parthenina* Bucquoy, Dautzenberg et Dollfus, 1883  
*Parthenina dollfusi* Kobelt, 1903
- Genus *Turbanilla* Risso, 1826  
*Turbanilla pumila* Seguenza G., 1876  
*Turbanilla striatula* (Linnaeus, 1758)
- Familia AMATHINIDAE Ponder, 1987
- Genus *Clathrella* Récluz, 1864  
*Clathrella clathrata* (Philippi, 1844)
- Familia MURCHISONELLIDAE Casey, 1904
- Genus *Ebala* Gray, 1847  
*Ebala nitidissima* (Montagu, 1803)
- Ordo CEPHALAPSIDEA Fischer, 1883
- Familia HAMNOEIDAE Pilsbry, 1895
- Genus *Haminoea* Turton et Kingston in Carrington, 1830  
*Haminoea hydatis* (Linnaeus, 1758)
- Genus *Weinkauffia* Monterosato, 1884  
*Weinkauffia turgidula* (Forbes, 1884)
- Familia RETUSIDAE Thiele, 1925
- Genus *Retusa* T. Brown, 1827  
*Retusa mammillata* (Philippi, 1836)  
*Retusa truncatula* (Bruguière, 1792)  
*Retusa umbilicata* (Montagu, 1803)
- Ordo THECOSOMATA de Blainville, 1824
- Familia CAVOLINIIDAE Gray, 1850
- Genus *Cavolinia* Abildgaard, 1791  
*Cavolinia inflexa* (Lesueur, 1813)
- Familia CLIIDAE Jeffreys, 1869
- Genus *Clio* Linnaeus, 1767  
*Clio pyramidata* Linnaeus, 1767
- Familia CRESEIDAE Rampal, 1973
- Genus *Creseis* Rang, 1828  
*Creseis clava* (Rang, 1828)
- Genus *Styliola* Gray, 1847  
*Styliola subula* (Quoy et Gaimard, 1827)
- Ordo UMBRACULIDA Dall, 1899
- Familia TYLODINIDAE Gray, 1847
- Genus *Tylodina* Rafinesque, 1814  
*Tylodina perversa* (Gmelin, 1791)
- Ordo PULMONATA Cuvier, 1817
- Familia SIPHONARIIDAE Gray, 1827
- Genus *Williamia* Monterosato, 1844  
*Williamia gussonii* (O.G. Costa, 1829)
- Familia TRIMUSCULIDAE J.Q. Burch, 1945
- Genus *Trimusculus* F.C. Schmidt, 1818  
*Trimusculus mammilaris* (Linnaeus, 1758)
- Classis BIVALVIA Linnaeus, 1758
- Ordo SOLEMYOIDA Dall, 1889
- Familia NUCULIDAE Gray, 1824
- Genus *Austronucula* Powell, 1939  
*Austronucula perminima* (Monterosato, 1875)
- Ordo ARCOIDA Stoliczka, 1871
- Familia ARCIDAE Lamarck, 1809
- Genus *Arca* Linnaeus, 1758  
*Arca noae* Linnaeus, 1758  
*Arca tertragona* Poli, 1795
- Genus *Asperarca* Sacco, 1898  
*Asperarca nodulosa* (O.F. Müller, 1776)  
*Asperarca secreta* La Perna, 1998

- Genus *Barbatia* Gray, 1842  
*Barbatia barbata* (Linnaeus, 1758)
- Familia NOETIIDAE Steward, 1930
- Genus *Striarca* Conrad, 1862  
*Striarca lactea* (Linnaeus, 1758)
- Ordo MYTILOIDA Féruccac, 1822
- Familia MYTILIDAE Rafinesque, 1815
- Genus *Mytilus* Linnaeus, 1758  
*Mytilus galloprovincialis* Lamarck, 1819
- Genus *Crenella* T.Brown, 1827  
*Crenella arenaria* Monterosato, 1875 ex H. Martin, ms.
- Genus *Gregariella* Monterosato, 1884  
*Gregariella semigranata* (Reeve, 1858)
- Genus *Musculus* Röding, 1798  
*Musculus costulatus* (Risso, 1826)  
*Musculus discors* (Linnaeus, 1767)
- Genus *Lithophaga* Röding, 1798  
*Lithophaga lithophaga* (Linnaeus, 1758)
- Genus *Modiolus* Lamarck, 1799  
*Modiolus barbatus* (Linnaeus, 1758)
- Genus *Modiolula* Sacco, 1897  
*Modiolula phaseolina* (Philippi, 1844)
- Genus *Rhomboidea* Monterosato, 1884  
*Romboidea prideauxi* (Leach, 1815)
- Ordo PECTINOIDA Gray, 1854
- Familia PECTINIDAE Rafinesque, 1815
- Genus *Talochlamys* Iredale, 1935  
*Talochlamys multistriata* (Poli, 1795)
- Genus *Flexopecten* Sacco, 1897  
*Flexopecten flexuosus* (Poli, 1795)  
*Flexopecten hyalinus* (Poli, 1795)
- Familia PROPEAMUSSIIDAE Abbot, 1954
- Genus *Cyclopecten* A.E.Verrill, 1897  
*Cyclopecten brundisiensis* Smriglio et Mariottini, 1990
- Familia SPONDYLIDAE Gray, 1826
- Genus *Spondylus* Linnaeus, 1758  
*Spondylus gaederopus* Linnaeus, 1758
- Ordo LIMOIDA Moore, 1952
- Familia LIMIDAE Rafinesque, 1815
- Genus *Lima* Bruguière, 1797  
*Lima lima* (Linnaeus, 1758)
- Genus *Limaria* Link, 1807  
*Limaria hians* (Gmelin, 1791)  
*Limaria tuberculata* (Olivi, 1792)
- Genus *Limatula* S.V. Wood, 1839  
*Limatula subauriculata* Habe, 1958  
*Limatula subovata* (Monterosato, 1875)
- Ordo LUCINOIDA Gray, 1854
- Familia LUCINIDAE Fleming, 1828
- Genus *Ctena* Mörch, 1860  
*Ctena decussata* (O.G. Costa, 1829)
- Genus *Lucinella* Monterosato, 1884  
*Lucinella divaricata* (Linnaeus, 1758)
- Ordo VENEROIDA Gray, 1854
- Familia CHAMIDAE Lamarck, 1809
- Genus *Chama* Linnaeus, 1758  
*Chama gryphoides* Linnaeus, 1758
- Genus *Pseudochama* Odhner, 1917  
*Pseudochama griphina* (Lamarck, 1819)
- Familia LASAEIDAE Gray, 1842
- Genus *Lasaea* Brown, 1827  
*Lasaea adansoni* (Gmelin, 1791)
- Familia NEOLEPTONIDAE Thiele, 1934

- Genus *Neolepton* Monterosato, 1875  
*Neolepton sulcatulum* (Jeffreys, 1859)
- Familia CARDIIDAE Lamarck, 1809
- Genus *Parvicardium* Monterosato, 1884  
*Parvicardium exiguum* (Gmelin, 1791)  
*Parvicardium scriptum* (Bucquoy, Dautzenberg et Dollfus, 1892)
- Genus *Papillicardium* Sacco, 1899  
*Papillicardium papillosum* (Poli, 1791)
- Familia TELLINIDAE Blainville, 1814
- Genus *Moerella* (Linnaeus, 1758)  
*Moerella donacina* (Linnaeus, 1758)  
*Moerella pygmaea* (Lovén, 1846)
- Familia TRAPEZIDAE Lamy, 1920
- Genus *Coralliophaga* Blainville, 1824  
*Coralliophaga lithophagella* (Lamarck, 1819)
- Familia VENERIDAE Rafinesque, 1815
- Genus *Venus* Linnaeus, 1758  
*Venus casina* Linnaeus, 1758  
*Venus verrucosa* Linnaeus, 1758
- Genus *Timoclea* T. Brown, 1827  
*Timoclea ovata* (Pennant, 1777)
- Genus *Gouldia* C.B. Adams, 1847  
*Gouldia minima* (Montagu, 1803)
- Genus *Irus* F.C. Schmidt, 1818  
*Irus irus* (Linnaeus, 1758)
- Ordo CARDITOIDA Dall, 1889
- Familia CARDITIDAE Féussac, 1822
- Genus *Cardita* Bruguiére, 1792  
*Cardita calyculata* (Linnaeus, 1758)
- Genus *Glans* Megerle von Mühlfeldt, 1811  
*Glans trapezia* (Linnaeus, 1767)
- Genus *Centrocardita* Sacco, 1899  
*Centrocardita aculeata* (Poli, 1795)
- Familia ASTARTIDAE d'Orbigny, 1844
- Genus *Astarte* J.C. Sowerby, 1816  
*Astarte fusca* (Poli, 1791)
- Ordo MYOIDA Stoliczka, 1870
- Familia MYIDAE Lamarck, 1809
- Genus *Sphenia* Turton, 1822  
*Sphenia binghami* Turton, 1822
- Familia HIATELLIDAE Gray, 1824
- Genus *Hiatella* Bosc, 1801  
*Hiatella arctica* (Linnaeus, 1767)  
*Hiatella rugosa* (Linnaeus, 1767)
- Ordo ANOMALODESMATA Dall, 1889
- Familia THRACIIDAE Stoliczka, 1870
- Genus *Thracia* Blainville, 1824  
*Thracia distorta* (Montagu, 1803)  
*Thracia villosiuscula* (Mac Gillivray, 1827)
- Familia LYONSIIDAE P. Fischer, 1887
- Genus *Lyonsia* Turton, 1822  
*Lyonsia norwegica* (Gmelin, 1791)
- Classis SCAPHOPODA Brönn, 1862
- Ordo DENTALIIDAE da Costa, 1776
- Familia GADILINIDAE Chistikov, 1975
- Genus *Episiphon* Pilsbry et Sharp, 1897  
*Episiphon filum* (G.B. Sowerby II, 1860)

## REFERENCES

WoRMS Editorial Board, 2014. World Register of Marine Species. Available from <http://www.marinespecies.org> at VLIZ. Accessed 2014-03-12.